



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,480	07/05/2001	Tomas Andreason	1410-762	8452
23117 7590 08/06/2007 NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203			EXAMINER AMINZAY, SHAIMA Q	
			ART UNIT 2618	PAPER NUMBER
			MAIL DATE 08/06/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	09/898,480	ANDREASON, TOMAS	
	Examiner	Art Unit	
	Shaima Q. Aminzay	2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 May 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7, 9-16, 18 and 25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7, 9-16, 18, 25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 November 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This office action is in response to applicant's amendment/remarks filed May 22, 2007.

Response to Arguments

1. Response to arguments with respect to rejected claims 1-5, 7, 9-16, 18 and 20 are moot in view of the new ground(s) of rejection necessitated by the claims amendments, therefore, the Claim Rejections - 35 USC 103(a) with respect to claims 1-5, 7, 9-16, 18 and 20 withdrawn.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-5, and 21-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Henon (Henon U. S. Patent 6,999,769).

Regarding claim 1, Henon discloses an arrangement in a telephony system (e.g., *Figures 1-6, col. 1, lines 10-28, 49-67, col. 2, lines 38-54, the telecommunication system (telephony system)*) comprising:

at least one mobile radio telephone for being radio connected to a mobile radio telephony network in the telephony system via a radio link (e.g., *Fig. 1, col. 1, lines 56-67, col. 2, lines 59-67, col. 3, lines 1-3, the mobile radio (Figure 1(110) or Figure 4(400)) is being connected to the telephony network (112) through radio link*);

and at least one stationary telephony terminal (e.g., *Fig. 1, col. 1, lines 56-67, col. 2, lines 59-67, col. 3, lines 1-3, and at least one stationary telephone (Figure 1(102) or Figure 5(500))*),

wherein the stationary telephony terminal and the mobile radio telephone each have a short range transceiver for intercommunication via a short range wireless communication link (e.g., *Fig. 1, 4, 5, col. 1, lines 56-67, col. 2, lines 45-51, 59-67, col. 3, lines 1-3, col. 5, lines 4-10, 28-31, 33-39, 55-59, the mobile terminal (400 or 110) and stationary telephone (500 or 102) having short-range radio transceiver for communication in short range wireless communication link*);

wherein the stationary terminal or the mobile radio telephone is arranged to establish a speech channel over the short range wireless communication link ((e.g., *Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16, the stationary terminal (102 or 500) and/or the mobile radio (110 or 400) over the short range establishes speech link (speech channel) via short-range wireless link*);

and wherein the stationary telephony terminal is arranged to communicate speech over the mobile radio telephony network via the mobile radio telephone with another telephone including to transmit and receive speech signals over the speech channel established over the short range wireless communication link (*e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16, the stationary telephone (500 or 102) establishes speech (voice) communication in a radio telephone network (e. g. Fig. 1, 3) via mobile radio (110 or 400) with another telephone (e.g. Fig. 1 (108)) consists of speech (call) signals transmissions via speech link over the short-range wireless link (e.g. Fig. 1, 3).*

Regarding claim 21, Henon discloses a method for communicating in a telephony system via a communication arrangement (*e.g., Figures 1-6, col. 1, lines 10-28, 49-67, col. 2, lines 38-54, the telecommunication system (telephony system)*) including a mobile radio for communicating over a radio link with a mobile radio telephony network and a stationary telephony terminal link (*e.g., Fig. 1, col. 1, lines 56-67, col. 2, lines 59-67, col. 3, lines 1-3, the mobile radio (Figure 1(110) or Figure 4(400)) for communication with the radio telephone network over the radio link and for communication with the stationary telephone such as wired phone (Figure 1(102) or Figure 5(500)) is being linked over the terminal link*), the method comprising:

communicating via a short range wireless communication link between the stationary telephony terminal and the mobile radio telephone (*e.g., Fig. 1, 4, 5, col. 1, lines 56-67,*

Art Unit: 2618

col. 2, lines 45-51, 59-67, col. 3, lines 1-3, col. 5, lines 4-10, 28-31, 33-39, 55-59, the mobile terminal (110 or 400) and stationary telephone (102 or 500) makes connections with each other through the short-range radio wireless communication link),

where the short range wireless communication link is separate from the radio link (e.g.,

Fig. 1, 4, 5, col. 1, lines 56-67, col. 2, lines 45-51, 59-67, col. 3, lines 1-3, col. 5, lines 4-10, 28-31, 33-39, 55-59, the mobile terminal (110 or 400) communicates with mobile radio network (104, 106) over the radio link that is separate from the communication with the wired phone (102 or 500) over the short-range link);

establishing a speech channel over the short range wireless communication link for carrying speech signals between the stationary telephony terminal and the mobile radio telephone (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16, the stationary terminal (102 or 500) and the mobile radio (110 or 400) over the short range establishes speech link (speech channel) via short-range wireless link);

and communicating speech to or from the stationary telephony terminal over the mobile radio

telephony network via the mobile radio telephone with another telephone communicating with

the radio telephony network (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16, the stationary telephone (500 or 102) establishes speech (voice) communication in a radio telephone network (e. g. Fig. 1, 3) via mobile radio (110 or 400) with another

telephone (e.g. Fig. 1 (108)) communicating over the radio telephone network), said communicating speech including transmitting and receiving speech signals over the speech channel established over the short range wireless communication link (e.g., Fig. 1-3, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16, the communication include speech (call) signals transmission over the short-range wireless communication link).

Regarding claim 2, Henon teaches all the limitations in claim 1, and further, Henon teaches wherein the stationary telephony terminal has a device for taking a telephone number to a called subscriber (*see for example, column 3, lines 63-67, column 4, lines 1-18*).

Regarding claim 3, Henon teaches all the limitations in claim 1, and further, Henon teaches wherein the short range transceivers are radio transceivers (*see for example, column 1, lines 6-67, column 2, lines 49-67 continued to column 3, lines 1-16, the mobile terminal and stationary telephone having short-range transceiver for communication in short range wireless communication system, radio transceivers*).

Regarding claim 4, Henon teaches all the limitations in claim 3, and further, Henon teaches wherein the short range radio transceivers are BLUETOOTH transceivers (*see for example, column 1, lines 56-67, column 2, lines 52-54, column 3, lines 4-16, the short-range transceivers are BLUETOOTH*).

Regarding claim 5, Henon teaches all the limitations in claim 1, and further, Henon teaches wherein the short range transceivers are optical transceivers (*see for example, column 1, lines 56-67, column 2, lines 52-54, column 3, lines 4-16, column 4, lines 50-52, the short-range transceivers are optical*).

Regarding claim 22, Henon teaches all the limitations in claim 21, and further, Henon teaches wherein when a call is placed from the another telephone to the mobile radio telephone (*e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16, the call from the other telephone (108) goes to the mobile radio (110 or 400)*) the mobile radio telephone establishes the speech channel over the short range wireless communication link for carrying speech signals between the stationary telephony terminal and the mobile radio telephone (*e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16, the mobile radio (110 or 400) over the short range establishes speech link (speech channel) via short-range wireless link with the stationary terminal (102 or 500)*), a ring tone is generated at the stationary telephony terminal (*e.g., Fig. 1-3, , col. 4, lines 10-13, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0")*), the ring is being generated at the wired telephone (stationary terminal)), a user associated with the mobile radio telephone answers the call at the stationary telephony terminal (*e.g., Fig. 1-3, , col. 4, lines 10-18, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0")*),

the user answers the phone (off-hook) and the user is associated with the mobile terminal), and speech signals from the stationary telephony terminal are provided over the established speech channel to the mobile radio telephone (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16), over the radio link, and via mobile radio telephony network to the another telephone (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16).

Regarding claim 23, Henon teaches all the limitations in claim 21, and further, Henon teaches wherein a user associated with the mobile radio telephone dials a telephone number associated with the another telephone at the stationary telephony terminal telephone (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16), the speech channel over the short range wireless communication link for carrying speech signals between the stationary telephony terminal and the mobile radio telephone is established (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16), the mobile radio telephone requests a channel on the radio link, and the mobile radio telephony network conveys a call request to the another telephone (e.g., Fig. 1-6, col. 1, lines 57-67, col. 2, lines 13-20, 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16 (incorporated by reference: "Bluetooth Specification Version 1.0"))

Regarding claim 24, Henon teaches all the limitations in claim 23, and further, Henon teaches wherein when the another telephone responds to the call request (*e.g.*, *Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16* (*incorporated by reference: "Bluetooth Specification Version 1.0"*)), speech signals from the stationary telephony terminal are communicated via the speech channel over the short range wireless communication link (*e.g.*, *Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16*), the channel on the radio link, and the mobile radio telephony network to the another telephone (*e.g.*, *Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16*).

Regarding claim 25, Henon teaches all the limitations in claim 1, and further, Henon teaches wherein the stationary terminal includes a device for generating a ring signal to indicate an incoming call (*e.g.*, *Fig. 1-3, col. 1, lines 57-65, col. 2, lines 13-20, col. 3, lines 20-44, col. 4, lines 1-6, 13-18, and col. 3, lines 4-16* (*incorporated by reference: "Bluetooth Specification Version 1.0"*))).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action.

(a) Patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 7, 9-16, 18, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Henon (Henon U. S. Patent 6,999,769) in view of Camp (Michael T. Camp, "Development of the Bluetooth Version 1.0 Specification").

Regarding claim 7, Henon discloses method for communicating in a telephony system via a communication arrangement (*e.g., Figures 1-6, col. 1, lines 10-28, 49-67, col. 2, lines 38-54, the telecommunication system (telephony system)*) including:

at least one mobile radio telephone for being radio connected to a mobile radio telephony network in the telephony system via a radio link (*e.g., Fig. 1, col. 1, lines 56-67, col. 2, lines 59-67, col. 3, lines 1-3, the mobile radio (Figure 1(110) or Figure 4(400)) is being connected to the telephony network (112) through radio link*) and at least one stationary telephony terminal (*e.g., Fig. 1, col. 1, lines 56-67, col. 2, lines 59-67, col. 3, lines 1-3, and at least one stationary telephone (Figure 1(102) or Figure 5(500))*), the method comprising:

intercommunicating via a short range wireless communication link between the stationary telephony terminal; and the mobile radio telephone (*e.g., Fig. 1, 4, 5, col. 1, lines 56-67,*

Art Unit: 2618

col. 2, lines 45-51, 59-67, col. 3, lines 1-3, col. 5, lines 4-10, 28-31, 33-39, 55-59, the mobile terminal (110 or 400) and stationary telephone (102 or 500) makes connections with each other through the short-range radio wireless communication link);

establishing a speech channel over the short range wireless communication link (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 5, lines 4-18, col. 6, lines 4-19, col. 7, lines 14-16, the stationary terminal (102 or 500) and the mobile radio (110 or 400) over the short range establishes speech link (speech channel) via short-range wireless link);

communicating speech to and from the stationary telephony terminal over the mobile radio telephony network via the mobile radio telephone with another telephone including transmitting and receiving speech signals over the speech channel established over the short range wireless communication link (e.g., Fig. 1-6, col. 1, lines 58-67, col. 2, lines 45-51, col. 3, lines 53-62, col. 4, lines 53-58, 64-67, col. 6, lines 1-19, 28-31, 55-59, col. 7, lines 14-16, the stationary telephone (500 or 102) establishes speech (voice) communication in a radio telephone network (e. g. Fig. 1, 3) via mobile radio (110 or 400) with another telephone (e.g. Fig. 1 (108)) consists of speech (call) signals transmissions via speech link over the short-range wireless link (e.g. Fig. 1, 3)); wherein the method further comprises:

sending, from the stationary telephony terminals discovery signals over the short range wireless communication link (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 4, lines 1-3, col. 5, lines 44-59, and col. 3, lines 4-16 (incorporated by reference:

"Bluetooth Specification Version 1.0"), the stationary telephone (500 or 102) sending the

detecting (discovering) signal such as request call via short range wireless communication link);

receiving in the mobile radio telephone said discovery signals (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 4, lines 1-6, col. 5, lines 11-31, 44-59, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), the mobile telephone (110 or 400) receiving the transmit (discovering) signal from the stationary station (500 or 102));

sending response signals from the mobile radio telephone (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 4, lines 1-6, col. 5, lines 4-39, 44-59, lines 60-67, column 6, lines 1-2, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), the mobile telephone transmitting signal (acknowledgement));

receiving in the stationary telephony terminal the response signals (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 4, lines 1-6, 13-18, col. 5, lines 4-39, 44-59, lines 60-67, column 6, lines 1-2, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), the stationary terminal (500 or 102) receiving response (acknowledgement)); and

sending a mobile identification signal from the mobile radio telephone (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 3, lines 20-44, col. 4, lines 1-6, 13-18, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), the mobile terminal (500 or 102) identification signal (PIN) is being sent); and thereafter, generating a ring or other alert signal at the stationary telephony terminal to alert a user of an incoming call (e.g., Fig. 1-3, , col. 1, lines 57-65, col. 2, lines 13-20, col. 3, lines 20-

44, col. 4, lines 1-6, 13-18, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), therefore, the mobile terminal (500 or 102) generates a ring to notify the user of an incoming call).

Henon does not specifically teach the discovery signal, however, Henon teaches the stationary telephone (500 or 102) detecting and sending call signals via short range wireless communication link (e.g., Fig. 1-3, col. 1, lines 57-65, col. 2, lines 13-20, col. 4, lines 1-3, col. 5, lines 44-59, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0"), the stationary telephone is equipped with the Bluetooth functionality (110) for transmission via short-range wireless communication link and the discovery function is well known in the art that the Bluetooth protocol allows device to send discovery signals over the short-range wireless communication link).

In related art the Camp teaches the discovery signal (page 1, lines 2-13, page 5, left-column, lines 16-44, the Bluetooth protocol allows device to send discovery signals over the short-range wireless communication link).

It would have been obvious to one of ordinary skill in the art at the time invention was made to include Camp's discovery protocol for short-range into Henon's short-range wired telephone to provide efficient and reliable short-range wireless communication link between the wireless and wired (stationary terminal) telephones (Henon, col. 1, lines 44-52, col. 2, lines 17-20), and to provide discovery capabilities with "versatile", and "power efficient, short-range wireless connection" (Camp, page 1, left column, lines 2-13, page 5, left-column, lines 16-24).

Art Unit: 2618

Regarding claim 9, Henon in view of Camp teach all the limitations in claim 7, and further, Henon teaches wherein the identification signal includes an individual identification signal for the mobile radio telephone (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, identification signal includes individual identification for mobile*).

Regarding claim 10, Henon in view of Camp teach all the limitations in claim 7, and further, Henon teaches comprising the following steps: sending, from the mobile radio telephone, discovery signals over the short range wireless communication link (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67 continued to column 4, lines 1-18*); receiving in the stationary telephony terminal said discovery signals (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67 continued to column 4, lines 1-18, receiving the stationary telephone signal*); sending [*response*] signals from the stationary telephony terminal (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, 32-67, column 5, lines 1-3, lines 60-67, column 6, lines 1-2, the stationary telephone transmitting (acknowledgement) signal*); receiving in the mobile radio telephone the [*response*] signals (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, 32-67, column 5, lines 1-3, lines 60-67, column 6, lines 1-2, the mobile telephone receiving (acknowledgement) signal*); and sending a mobile identification signal from the mobile radio telephone (*see for example,*

Art Unit: 2618

column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, 32-67, column 5, lines 1-3, lines 60-67, column 6, lines 1-2, sending mobile identification), and further, Henon teaches the response (see for example, column 6, lines 34-67, column 7, lines 1-28, column 10, lines 25-32).

Regarding claim 11, Henon in view of Camp teach all the limitations in claim 10, and further, Henon teaches wherein the identification signal from the mobile radio telephone includes an individual identification signal for the mobile radio telephone (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, identification signal includes individual identification for mobile*).

Regarding claim 12, Henon in view of Camp teach all the limitations in claim 9, and further, Henon teaches further comprising sending from the stationary telephony terminal an authentication code to the mobile radio telephone (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-67, column 4, lines 1-18, transmitting authentication code to mobile*).

Regarding claim 13, Henon in view of Camp teach all the limitations in claim 12, and further, Henon teaches further comprising taking a service code on the stationary telephony terminal; indicating when the sent authentication code is valid (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-67,*

column 4, lines 1-18, validation of authentication code).

Regarding claim 14, Henon in view of Camp teach all the limitations in claim 12, and further, Henon teaches comprising checking the authentication code in the mobile radio telephone (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-67, column 4, lines 1-18, verification of mobile authentication code*).

Regarding claim 15, Henon in view of Camp teach all the limitations in claim 12, and further, Henon teaches checking the authentication code in the mobile radio telephony network telephone (*see for example, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-67, column 4, lines 1-18, verification of authentication code of mobile network*).

Regarding claim 16, Henon in view of Camp teach all the limitations in claim 7, and further, Henon teaches comprising the following steps: receiving an incoming call on the mobile radio telephone via the radio link from the mobile radio telephony network (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18*); transmitting a message regarding the call to the stationary telephony terminal via the short range wireless communication link (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, the calls and message transmission via short-range wireless communication links*); and establishing a speech channel on the

Art Unit: 2618

short range wireless communication link (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, lines 39-52, column 5, lines 42-54*).

Regarding claim 18, Henon in view of Camp teach all the limitations in claim 7, and further, Henon teaches comprising the following steps: setting up a connection on the short range wireless communication link (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, connection to short-range wireless communication links*); taking a telephone number on the stationary telephony terminal to a called subscriber link (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, the calls and message transmission via short-range wireless communication links*); transmitting the telephone number to the mobile radio telephone via the short range wireless communication link (*see for example, column 3, lines 63-67, column 4, lines 1-18*); setting up a connection on the radio link from the mobile radio telephone to the mobile radio telephony network in dependence on the transmitted telephone number link (*see for example, Figure 1, column 1, lines 56-67 continued to column 2, lines 1-20, column 3, lines 1-16, lines 45-67, column 4, lines 1-18, the calls and message transmission via short-range wireless communication links*).

Regarding claim 20, Henon in view of Camp teach all the limitations in claim 7, further, Henon teaches generating a ring signal at the mobile radio telephone to indicate

the incoming call in addition to the ring signal generated at the stationary telephony terminal (*e.g., Fig. 1-3, col. 1, lines 57-65, col. 2, lines 13-20, col. 3, lines 20-44, col. 4, lines 1-6, 13-18, and col. 3, lines 4-16 (incorporated by reference: "Bluetooth Specification Version 1.0")*).

Conclusion

The prior art made of record considered pertinent to applicant's disclosure, see PTO-892 form.

Applicant's amendment necessitated the **new ground(s)** of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Art Unit: 2618

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shaima Q. Aminzay whose telephone number is 571-272-7874. The examiner can normally be reached on 7:00 AM -4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mathew D. Anderson can be reached on 571-272-4177. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Shaima Q. Aminzay
(Examiner)



MATTHEW ANDERSON
SUPERVISORY PATENT EXAMINER

August 2, 2007